

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	737589	@pd>"20060210"	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/07/25 14:27
L2	375730	(command\$3 OR operation\$1 OR instruction\$1 OR stor\$3 OR load\$3 OR (stack ADJ down) OR (strict ADJ order) OR FIFO OR (first ADJ in ADJ first ADJ out)) near4 (queue\$3 OR sequenc\$3 OR buffer\$3)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/07/25 14:28
L3	640795	(depend\$3 OR dependenc\$ OR rel\$3 OR relian\$2 OR contingent OR based OR basing) near5 (command\$3 OR operation\$1 OR instruction\$1 OR stor\$3 OR load\$3)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/07/25 14:28
L4	27920	(valid\$5) near4 (bit\$1 OR byte\$1 OR tag\$1 OR tagg\$3 OR flag\$1 OR indicator\$1)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/07/25 14:28
L5	414	(L2 near8 L3) AND (L2 near8 L4)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/07/25 14:28
L6	19	L1 AND L5	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/07/25 14:44
L7	6326	(711/156,125,158,118,144,154). CCLS.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2006/07/25 14:44
L8	127	(710/24).CCLS.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2006/07/25 14:44
L9	2397	(712/225,228,216,217,23).CCLS.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2006/07/25 14:44
L10	8762	(L7 OR L8 OR L9)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/07/25 14:44
L11	163	L5 AND L10	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/07/25 14:44

EAST Search History

L12	5	L1 AND L11	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/07/25 14:44
L13	15	(L2 near8 L3) AND (L2 near8 L4) AND (L2 near8 (snapshot\$1 OR imag\$3))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/07/25 14:44
L14	2	L1 AND L13	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/07/25 14:48
L15	208580	(command\$3 OR operation\$1 OR instruction\$1 OR stor\$3 OR load\$3 OR (stack ADJ down) OR (strict ADJ order) OR FIFO OR (first ADJ in ADJ first ADJ out)) near4 (queue\$3 OR buffer\$3)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/07/25 14:48
L16	43	(L15 near5 L3) SAME (L15 near5 L4)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/07/25 14:48
L17	3	L1 AND L16	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/07/25 14:51
L18	208580	(command\$3 OR operation\$1 OR instruction\$1 OR stor\$3 OR load\$3 OR (stack ADJ down) OR (strict ADJ order) OR FIFO OR (first ADJ in ADJ first ADJ out)) near4 (queue\$3 OR buffer\$3)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/07/25 14:51
L19	1723534	(snapshot\$1 OR imag\$3 OR (shadow ADJ (copy\$3 OR copi\$2)))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/07/25 14:51
L20	6326	(711/156,125,158,118,144,154). CCLS.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2006/07/25 14:51
L21	127	(710/24).CCLS.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2006/07/25 14:51
L22	2397	(712/225,228,216,217,23).CCLS.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2006/07/25 14:51

EAST Search History

L23	8762	(L20 OR L21 OR L22)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/07/25 14:51
L24	89	(L19 near5 L18) AND L23	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/07/25 14:51
L25	1	L1 AND L24	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/07/25 14:53
L26	27920	(valid\$5) near4 (bit\$1 OR byte\$1 OR tag\$1 OR tagg\$3 OR flag\$1 OR indicator\$1)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/07/25 14:53
L27	34	(L19 near5 L18) AND (L18 near5 L26)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/07/25 14:53
L28	2	L1 AND L27	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/07/25 14:54
L29	16496	(snapshot\$1 OR (shadow ADJ (copy\$3 OR copi\$2)))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/07/25 14:54
L30	17	(L29 near5 L18) AND L23	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/07/25 14:54
L31	0	L1 AND L30	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/07/25 14:54
L32	24768	(snapshot\$1 OR (shadow ADJ (copy\$3 OR copi\$2)) OR checkpoint\$3)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/07/25 14:54
L33	165533	(command\$3 OR operation\$1 OR instruction\$1 OR stor\$3 OR load\$3 OR (stack ADJ down) OR (strict ADJ order) OR FIFO OR (first ADJ in ADJ first ADJ out)) near2 (queu\$3 OR buffer\$3)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/07/25 14:54

EAST Search History

L34	19	(L32 near5 L33) AND L23 NOT L30	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/07/25 14:54
L35	1	L1 AND L34	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/07/25 14:54
L36	230	(L32 near5 L33)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/07/25 15:08
L37	6813	((add OR stor\$3) near5 queue\$1) OR queueing OR queued) near5 (command\$3 OR operation\$1 OR instruction\$1)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/07/25 15:08
L38	16	L36 SAME L37	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/07/25 15:08
L39	1	L1 AND L38	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/07/25 15:13
L40	49	(US-4543626-\$ or US-5016161-\$ or US-5790813-\$ or US-5016166-\$ or US-5283899-\$ or US-5687316-\$ or US-6055579-\$ or US-4530055-\$ or US-6827023-\$ or US-6148366-\$ or US-5915092-\$ or US-4425615-\$ or US-4310882-\$ or US-RE35922-\$ or US-5423039-\$ or US-5657471-\$ or US-4546430-\$ or US-5696930-\$ or US-6453316-\$ or US-6676089-\$ or US-6088771-\$ or US-6702235-\$ or US-6530329-\$ or US-6494408-\$ or US-5640596-\$ or US-6065406-\$). did. or (US-6460467-\$ or US-6170042-\$ or US-5765200-\$ or US-6216178-\$ or US-6230243-\$ or US-5990913-\$ or US-5638538-\$ or US-6055602-\$ or US-6182177-\$ or US-5758075-\$ or US-5708779-\$ or US-5890208-\$ or US-5371887-\$ or US-6267061-\$ or US-6270040-\$ or US-5386514-\$ or US-5603063-\$ or US-6909945-\$ or US-4451897-\$ or US-6877699-\$ or US-6202080-\$ or US-4884228-\$ or US-5717954-\$). did.	USPAT	OR	ON	2006/07/25 15:13

EAST Search History

L41	154413	((retir\$3 OR deallocat\$3 OR de-allocat\$3 OR remov\$3 OR delet\$3 or eliminat\$3) near3 (command\$3 OR operation\$1 OR instruction\$1))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/07/25 15:13
L42	1438	L41 near4 L33	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/07/25 15:13
L43	15	L42 AND L40	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/07/25 15:13
L44	0	L1 AND L43	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/07/25 15:14
L45	19318	(clear\$3 OR remov\$3 OR delet\$3 eliminat\$3 OR updat\$3 OR releas\$3) near5 (depend\$3 OR dependenc\$ OR rel\$3 OR relian\$2 OR contingent OR based OR basing) near5 (command\$3 OR operation\$1 OR instruction\$1 OR stor\$3 OR load\$3)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/07/25 15:14
L46	18	(L41 near4 L33) AND (L33 near4 L26) AND L45 AND (disambiguation OR dis-ambiguation OR "out of order" OR "out-of-order")	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/07/25 15:14
L47	0	L1 AND L46	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/07/25 15:15
L48	10	(command near2 (queue\$1 OR buffer\$1)) near5 snapshot\$1	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/07/25 15:15
L49	0	L1 AND L48	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/07/25 15:15
L50	4	(command near2 (queue\$1 OR buffer\$1)) near5 (snapshot\$1 OR backup) NOT L48	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/07/25 15:15
L51	0	L1 AND L50	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/07/25 15:16

EAST Search History

L54	1	((command OR instruction OR store OR load) near2 (queue\$1 OR buffer\$1) near3 (order\$3 OR sequence\$1)) near5 (snapshot\$1 OR backup)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/07/25 15:16
L55	0	L1 AND L54	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/07/25 15:16
L56	9	((command OR instruction OR store OR load) near2 (queue\$1 OR buffer\$1) near3 (order\$3 OR sequence\$1)) WITH (snapshot\$1 OR backup)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/07/25 15:16
L57	0	L1 AND L56	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/07/25 15:17
L58	2	((command OR instruction OR store OR load) near3 (queue\$1 OR buffer\$1) near5 (order\$3 OR sequence\$1)) WITH (snapshot\$1 OR backup) NOT L56	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/07/25 15:17
L59	0	L1 AND L58	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/07/25 15:17
L60	34	FIFO near3 snapshot\$1	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/07/25 15:17
L61	0	L1 AND L60	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/07/25 15:17
L62	4	((stack ADJ down)) near4 (queue\$1 OR buffer\$1)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/07/25 15:17
L63	0	L1 AND L62	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/07/25 15:19
L64	23500	((strict ADJ order) OR FIFO OR (first ADJ in ADJ first ADJ out) OR ROB OR (reorder ADJ buffer\$1) OR (re-order ADJ buffer\$1)) near4 (queue\$1 OR buffer\$1)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/07/25 15:19

EAST Search History

L65	157371	(command\$1 OR operation\$1 OR instruction\$1 OR store\$1 OR load\$1 OR issue\$1) near4 (queue\$1 OR buffer\$1)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/07/25 15:19
L66	1350	(head near5 pointer\$1) near5 (tail near5 pointer\$1)	US-PGPUB; USPAT; DERWENT	OR	ON	2006/07/25 15:19
L67	3	L64 near5 L66 near5 L65	US-PGPUB; USPAT; DERWENT	OR	ON	2006/07/25 15:19
L68	0	L1 AND L67	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/07/25 15:19
L69	22191	((strict ADJ order) OR FIFO OR (first ADJ in ADJ first ADJ out)) near4 (queue\$1 OR buffer\$1)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/07/25 15:20
L70	1	L69 near5 L66 near5 L65	US-PGPUB; USPAT; DERWENT	OR	ON	2006/07/25 15:20
L71	0	L1 AND L70	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/07/25 15:20
L72	4	L69 near5 L66 SAME L65	US-PGPUB; USPAT; DERWENT	OR	ON	2006/07/25 15:20
L73	1	L1 AND L72	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/07/25 15:21
L74	1	L72 AND (valid near2 bit\$1)	US-PGPUB; USPAT; DERWENT	OR	ON	2006/07/25 15:21
L75	0	L1 AND L74	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/07/25 15:21
L76	0	L72 AND (dependen\$4 near3 bit\$1)	US-PGPUB; USPAT; DERWENT	OR	ON	2006/07/25 15:21
L77	0	L1 AND L76	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/07/25 15:21

EAST Search History

L78	2	L67 AND (dependen\$4 near3 bit\$1)	US-PGPUB; USPAT; DERWENT	OR	ON	2006/07/25 15:21
L79	0	L1 AND L78	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/07/25 15:21
L80	9	L64 near5 L66 SAME L65	US-PGPUB; USPAT; DERWENT	OR	ON	2006/07/25 15:21
L81	1	L1 AND L80	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/07/25 15:21
L82	2	L80 AND (dependen\$4 near3 bit\$1)	US-PGPUB; USPAT; DERWENT	OR	ON	2006/07/25 15:21
L83	0	L1 AND L82	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/07/25 15:21
L84	45	L65 near5 (dependen\$4 near3 bit\$1)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/07/25 15:21
L85	2	L1 AND L84	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/07/25 15:23
L86	21	(snapshot\$1 OR backup\$1 OR checkpoint\$3) near5 ((command\$1 OR operation\$1 OR instruction\$1 OR store\$1 OR load\$1 OR issue\$1) near4 (queue\$1 OR buffer\$1)) near5 (order\$3 OR sequenc\$3 OR layout OR arrang\$3 OR arrangement\$1 OR composition)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/07/25 15:23
L87	2	L1 AND L86	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/07/25 15:24
L88	59	(snapshot\$1 OR backup\$1 OR checkpoint\$3) WITH ((command\$1 OR operation\$1 OR instruction\$1 OR store\$1 OR load\$1 OR issue\$1) near3 (queue\$1 OR buffer\$1)) WITH (order\$3 OR sequenc\$3 OR layout OR arrang\$3 OR arrangement\$1 OR composition) NOT L86	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/07/25 15:24

EAST Search History

L89	9	L1 AND L88	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/07/25 15:24
L90	202503	((any OR multiple OR different OR various) near2 order\$3)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/07/25 15:24
L91	261	L65 near5 L90	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/07/25 15:24
L92	6326	(711/156,125,158,118,144,154). CCLS.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2006/07/25 15:24
L93	127	(710/24).CCLS.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2006/07/25 15:24
L94	2397	(712/225,228,216,217,23).CCLS.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2006/07/25 15:24
L95	8762	(L92 OR L93 OR L94)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/07/25 15:24
L96	63	L91 AND L95	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/07/25 15:24
L97	1	L1 AND L96	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/07/25 15:27
L98	14	(snapshot\$1 OR backup\$1 OR checkpoint\$3 OR cop\$4) near5 (ROB OR (reorder ADJ buffer\$1) OR (re-order ADJ buffer\$1)) SAME L65	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/07/25 15:27
L99	1	L1 AND L98	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/07/25 15:29
L100	88	(snapshot\$1 OR backup\$1) near5 (FIFO OR (first ADJ in ADJ first ADJ out))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/07/25 15:29

EAST Search History

L101	157371	(command\$1 OR operation\$1 OR instruction\$1 OR store\$1 OR load\$1 OR issue\$1) near4 (queue\$1 OR buffer\$1)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/07/25 15:29
L102	14	L100 SAME L101	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/07/25 15:29
L103	0	L1 AND L102	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/07/25 15:31
L104	53	L100 AND L101 NOT L102	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/07/25 15:31
L105	6326	(711/156,125,158,118,144,154). CCLS.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2006/07/25 15:31
L106	127	(710/24).CCLS.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2006/07/25 15:31
L107	2397	(712/225,228,216,217,23).CCLS.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2006/07/25 15:31
L108	8762	(L105 OR L106 OR L107)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/07/25 15:31
L109	0	L104 AND L108	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/07/25 15:31
L110	0	L1 AND L109	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/07/25 15:31
L111	1	L100 AND L108	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/07/25 15:32
L112	0	L1 AND L111	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/07/25 15:32

EAST Search History

L113	3	checkpoint\$3 near\$4 cop\$4 near\$5 L101	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/07/25 15:32
L114	2	L1 AND L113	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/07/25 15:32
L115	19	checkpoint\$3 WITH cop\$4 WITH L101	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/07/25 15:32
L116	9	L1 AND L115	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/07/25 16:31
L117	6	(context ADJ switch\$3) WITH cop\$4 WITH L101	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/07/25 15:33
L118	0	L1 AND L117	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/07/25 15:33
L119	23	(snapshot\$4 OR checkpoint\$3 OR backup\$1 OR context ADJ switch\$3) near\$5 ((command OR instruction OR load OR store) ADJ queue\$3)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/07/25 16:47
L121	0	(set\$1 OR setting OR chang\$3 OR modif\$4) near\$5 ((valid\$5 ADJ (bit\$1 OR byte\$1 OR flag\$1)) near\$5 (dependen\$4 ADJ (bit\$1 OR byte\$1 OR flag\$1))) WITH (snapshot\$4 OR checkpoint\$3 OR backup\$1 OR context ADJ switch\$3)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/07/25 16:51
L122	0	(set\$1 OR setting OR chang\$3 OR modif\$4) WITH ((valid\$5 ADJ (bit\$1 OR byte\$1 OR flag\$1)) near\$5 (dependen\$4 ADJ (bit\$1 OR byte\$1 OR flag\$1))) WITH (snapshot\$4 OR checkpoint\$3 OR backup\$1 OR context ADJ switch\$3)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/07/25 16:51
L123	0	(set\$1 OR setting OR chang\$3 OR modif\$4) WITH ((valid\$5 ADJ (bit\$1 OR byte\$1 OR flag\$1)) WITH (dependen\$4 ADJ (bit\$1 OR byte\$1 OR flag\$1))) WITH (snapshot\$4 OR checkpoint\$3 OR backup\$1 OR context ADJ switch\$3)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/07/25 16:51

EAST Search History

L125	0	(set\$1 OR setting OR chang\$3 OR modif\$4) SAME ((valid\$5 ADJ (bit\$1 OR byte\$1 OR flag\$1)) SAME (dependen\$4 ADJ (bit\$1 OR byte\$1 OR flag\$1))) SAME (snapshot\$4 OR checkpoint\$3 OR backup\$1 OR context ADJ switch\$3)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/07/25 16:52
------	---	--	--	----	----	------------------